Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6513	718/1,100-107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:19
L2	880	1 and (virtual near4 (server\$1 environment (operating adj system\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:29
L3	59	2 and (virtual near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:22
L4	20	3 and ((generat\$3 creat\$3 establish\$3) near5 ((device adj2 node\$1) file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:40
L5	14	4 and ((read\$3 write access\$3) near4 (file\$1 (device adj node\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:52
L6	9	2 and ((virtual near3 console) /dev/console)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:32
L7	. 0	/dev/console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:32
L8	0	"/dev/console"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:33
L9	9	\$2dev\$1console\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:33

L10	144	1 and (virtual near3 (operating adj system\$1)) and kernel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:40
L11	42	10 and ((generat\$3 creat\$3 establish\$3) near5 ((device adj2 node\$1) file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:40
L12		11 and ((read\$3 write access\$3) near6 (file\$1 (device adj node\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:02
L13	3	2 and jail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:03
L14	5	jail and (virtual near3 (operating adj system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:03
L15	1	"20020161817".PN.	US-PGPUB	OR	OFF	2007/04/30 09:04
L16	1	"6074427".PN.	USPAT; USOCR	OR	OFF	2007/04/30 09:29
L17	3	(virtual near3 console near4 driver\$1) and (file\$1 (device near3 node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:32
L18	33	(virtual near3 (console driver\$1)) and (jail\$3 zone\$1) and ((creat\$3 establish\$3) near6 (file\$1 (device near3 node\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:39
L19	. 263	(virtual near3 (console driver\$1 file\$1)) and (jail\$3 zone\$1) and ((creat\$3 establish\$3) near6 (file\$1 (device near3 node\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/04/30 09:39
L20	0	(virtual near3 (server\$1 (operating adj system\$1)) same (file\$1 (device adj node\$1)) same (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:44

			•			
L21	862760	(jail\$1 zone\$1 (virtual near3 (server\$1 (operating adj system\$1))) same (file\$1 (device adj node\$1)) same (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:45
L22	1080796	(jail\$1 zone\$1 (virtual near3 (server\$1 (operating adj system\$1))) same (file\$1 (device adj node\$1) (virtual near3 console\$1)) sand (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/04/30 09:45
L23	862760	(jail\$1 zone\$1 (virtual near3 (server\$1 (operating adj system\$1))) same (file\$1 (device adj node\$1) (virtual near3 console\$1)) and (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:45
L24	862760	(jail\$1 zone\$1 (virtual near3 (environment server\$1 (operating adj system\$1))) same (file\$1 (device adj node\$1) (virtual near3 console\$1)) and (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:46
L25	862760	(jail\$1 zone\$1 (virtual near3 (server\$1 (operating adj system\$1))) with (file\$1 (device adj node\$1) (virtual near3 console\$1)) same (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:46
L26	1689	(jail\$1 zone\$1 (virtual near3 (server\$1 (operating adj system\$1))) with (file\$1 (device adj node\$1) (virtual near3 console\$1)) same (virtual near3 driver1)) and (partition\$3 near3 (OS (operating adj system) system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:47
L27	10	26 and ((process processes application\$1 program\$1) near4 request\$3 near6 (read\$3 write access\$3) near6 (file\$1 (device adj node\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:49
S1	16	"6074427".pn. "20020161817".pn. "20020120660".pn. "5325526".pn. "5845116".pn. "5437032".pn. "20020156824".pn. "5459864".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:03
S2	1077	(virtual near3 (operating adj system\$1)) and kernel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:40

						•
S3	7	S2 and (partition\$3 near5 (operating adj system)) and (jail secure non\$1global) and (non\$1jail\$3 global)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:46
S4	. 29	S2 and (partition\$3 near5 (operating adj system)) and (jail secure non\$1global)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:15
S5	9	S4 and file\$1 and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:15
S6	26	S4 and file\$1 and process\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:15
S7	203	(partition\$3 near5 (operating adj system)) and (trust\$3 jail secure non\$1global) and (non\$1jail\$3 global non\$1trust\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:47
S8	24	S7 and file\$1 near3 partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:44
S9	10	(partition\$3 near5 (operating adj system)) and (environment near5 (trust\$3 jail secure non\$1global)) and (environment near4 (non\$1jail\$3 global non\$1trust\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:49
S10	133	(partition\$3 near5 (operating adj system)) and (environment near5 (trust\$3 jail secure non\$1global))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:50
S11	49	S10 and (file\$1 near5 (access\$3 read\$3 write\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:52
S12	1	S11 and (virtual near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:52

S13	2	"5459864".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 13:22
S14	1	"20020073410".pn. and (switch fabric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:15
S15	9418	(virtual near5 (environment\$1 (operating adj system\$1))) same (application\$1 process processes program\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:05
S16	699	S15 and (virtual near5 (driver\$1 console\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/04/27 17:20
S17	281	S16 and ((read\$3 writ\$3 access\$3) near5 file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:06
S18	16	S17 and (trust jail non\$1global)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:12
S19	78	S17 and (trust jail non\$1global secure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF '	2007/04/27 17:16
S20	20	S17 and 719/310,311-320,328-330. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:15
S21	44	S17 and (partition\$3 near5 (operating adj system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:18
S22	0	S17 and (partition\$3 near5 (operating adj system\$1)) same ((trust\$3 jail\$3 secur\$3) near4 environment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/04/27 17:19

S23		S17 and (partition\$3 near5 (operating adj system\$1)) and ((trust\$3 jail\$3 secur\$3) near4 environment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:19
S24	10	S15 and (virtual near5 driver\$1) and (virtual near4 console\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:20

Sign in

Google

Web <u>Images</u> Video News Maps more » Advanced Search 'virtual console" "console driver" partition Search **Preferences** 

Web

Results 1 - 10 of about 1,220 for "virtual console" "console driver" partition. (0.48 seconds)

Did you mean: "virtual console" "console server" partition

### Virtual Consoles

With vPars, each virtual partition has its own virtual console. For each partition, its console I/O is sent to its vcn (Virtual CoNsole) driver. ... docs.hp.com/en/T1335-90018/ch02s03.html - 28k - Cached - Similar pages

Patch: [RFC PATCH 3/5] CELL bogus console port to hvc\_console ... + config HVC CONSOLE bool "pSeries Hypervisor Virtual Console support" depends on ... This driver allows each pSeries partition to have a console which is ... patchwork.ozlabs.org/linuxppc64/patch?id=3622 - 9k - Cached - Similar pages

### Patch: RTAS console driver

This driver allows each pSeries partition to have a console which is accessed via ... + config HVCS tristate "IBM Hypervisor Virtual Console Server support" ... patchwork.ozlabs.org/linuxppc64/patch?id=1851 - 22k - Cached - Similar pages [ More results from patchwork.ozlabs.org ]

## InstallationNotes - Xen Wiki

These images will contain a full partition table though. To use this in Xen, ... WARNING: Failed to register Xen virtual console driver as 'tty1' ... wiki.xensource.com/xenwiki/InstallationNotes - 31k - Cached - Similar pages

O'Reilly - Safari Books Online - 0130352128 - HP-UX Virtual Partitions You can set up a dedicated physical console for each virtual partition. ... The Virtual Console driver, vcn, handles I/O related to the virtual consoles. ... safari.oreilly.com/0130352128/ch05lev1sec5 - Similar pages

port-xen: Problem using bouyer-xen2 netbsd as guest domain After unmounting the partition from linux, I then created a domain using the ... at hypervisor0: Xen Virtual Console Driver xencons0: console major 143. ... mail-index.netbsd.org/port-xen/2005/02/23/0002.html - 13k - Cached - Similar pages

Linux/m68k for Macintosh - Debian/m68k 2.0 Macintosh Installation ... Partition your harddisk (or rather prepare partitions for Linux): There is a ... the kernel would pick a prettier (6x11) font but the console driver for ... www.mac.linux-m68k.org/docs/debian-2.0-mac68k-install.php - 35k -Cached - Similar pages

### NetBSD/atari Frequently Asked Questions

What does "NetBSD bootblock not on primary AHDI partition" mean? ... The atari console driver is built of the following components: ... www.netbsd.org/Ports/atari/faq.html - 60k - Cached - Similar pages

### usage(8)

For each real file system you need a disk, a primary partition on a disk, ... The console driver uses a crude translation table to map Latin-1 codes to the ... www.minix-vmd.org/pub/Minix-vmd/1.7.0/wwwman/man8/usage.8.html - 49k -Cached - Similar pages

[Xen-devel] error on booting XenLinux - Xen Source

8-P Kernel panic: Couldn't register Xen virtual console driver as ttyS Yeah, ... partition

type 0x83 kernel /boot/xen.gz dom0\_mem=65535 noht watchdog ... lists.xensource.com/archives/html/xen-devel/2004-08/msg00259.html - 26k -

Cached - Similar pages

Did you mean to search for: "virtual console" "console server" partition

Result Page:

**1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

Next

Try Google Desktop: search your computer as easily as you search the web.

"virtual console" "console driver" par Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Sign in

<u>Google</u>

<u>Images</u> <u>Video News Maps more»</u> Advanced Search 'virtual console driver" "virtual server' Search **Preferences** 

Web

Results 1 - 8 of 8 for "virtual console driver" "virtual server". (0.45 seconds)

Tip: Try removing quotes from your search to get more results.

Bug #71348 in xen-source-2.6.17 (Ubuntu): "Dom0 crashes upon start ... WARNING: Failed to register Xen virtual console driver as 'ttyS0' ... IP: Virtual Server Configuration # # CONFIG\_IP\_VS is not set # CONFIG\_IPV6 is not set ... https://launchpad.net/ubuntu/+source/xen-source-2.6.17/+bug/71348 - 136k - Apr 28, 2007 -Cached - Similar pages

Index of port-macppc for June, 2001

caportel, FAQ for virtual server. Samuel Hornus, de0: abnormal interrupt :receive process stopped ... Vincent Kraeutler, virtual console driver for ppc? ... mail-index.netbsd.org/port-macppc/2001/06/ - 31k - Cached - Similar pages

# Xen v3.0 用户手册- [ Translate this page ]

Virtual Server 使用指南... 如何有效的压缩虚拟磁盘 ... xencons=xxx: Specify the device node to which the Xen virtual console driver is attached. ... www.vmware.cn/Article/582.html - 147k - Cached - Similar pages

## Bug #71348 - Activity log

... Failed to register Xen virtual console driver as 'ttyS0' Event-channel device ... is not set CONFIG\_TCP\_CONG\_BIC=y # # IP: Virtual Server Configuration ... https://bugs.launchpad.net/ubuntu/+source/xen-source-2.6.17/+bug/71348/+activity - 224k -Supplemental Result - Cached - Similar pages

RE: [Xen-devel] domU panic changeset: 7369:92c6021f23e4 - Xen Source ... Failed to register Xen virtual console driver as 'tty1' Event-channel ... is not set ## IP: Virtual Server Configuration # # CONFIG\_IP\_VS is not set ... lists.xensource.com/archives/html/xen-devel/2005-10/msg00669.html - 50k - Supplemental Result - Cached - Similar pages

# [PDF] Solaris to Linux Migration: A Guide for System Administrators

File Format: PDF/Adobe Acrobat

load the Hypervisor Virtual Console driver, modprobe hvcs ... The Linux Virtual Server (LVS) concept ties a group of server machines together ... www.redbooks.ibm.com/redbooks/pdfs/sg247186.pdf - Similar pages

# Index: linux/arch/xen/boot/Makefile ...

... not set + +# +# IP: Virtual Server Configuration +# +# CONFIG IP VS is not set +# CONFIG\_IPV6 is not ... + \* console.c + \* + \* Virtual console driver. ... openssi.org/contrib/xen/xen-2.6.10.patch - 997k - Cached - Similar pages

### http://linux.bkbits.net/linux-2.5 davem@kernel.bkbits.net....

File Format: Unrecognized

This patch starts cleaing up (and paring down) the virtual console driver. ... +# IP: Virtual Server Configuration. +#. +# CONFIG\_IP\_VS is not set ... crypto.riken.go.jp/.../kernel/people/akpm/patches/2.6/2.6.5-rc2/2.6.5-rc2-mm3/brokenout/linus.patch - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 8 already

displayed.

If you like, you can repeat the search with the omitted results included.

Download Google Pack: free essential software for your PC

"virtual console driver" "virtual servei Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google ©2007 Google

Sign in

Google

<u>Images Video News</u> Maps more » Advanced Search console device" "/dev/console" virtual driver f Search Preferences

Web

Results 1 - 10 of about 170 for "console device" "/dev/console" virtual driver file "device node". (0.22 seconds)

## Devfs (Device File System) FAQ

For every entry (device node) in a devfs-based /dev a driver must call ... entry on your root file-system. Create a valid /dev/console device node. ... www.atnf.csiro.au/~rgooch/linux/docs/devfs.html - 78k - Cached - Similar pages

## Embedded.com - A survey of Linux device drivers

The /dev/console device node, which helps applications communicate with their ... block device drivers can be controlled by the kernel's Virtual File System ... www.embedded.com/rss/showArticle.jhtml?articleID=187200956 - 77k -Cached - Similar pages

### Ifs next to existing systems txt

These virtual files don't matter, because they won't exist when you boot your ... /dev/console (e.g. by using `cp -a' to copy the console device node from ... www.linuxfromscratch.org/hints/downloads/files/lfs next to existing systems.txt - 26k -Cached - Similar pages

## <u>BigAdmin Feature Article: Solaris Zones Partitioning Technology</u>

Instantiates the zone console device. One instance of zcons(7D) driver exists for each ... Export the device node and mount from the non-global zone: ... www.sun.com/bigadmin/features/articles/zones\_partition.html - 69k -Cached - Similar pages

### <u> Man Page Lookup - pcvt (4)</u>

FILES /usr/include/machine/pcvt\_ioctl.h Definitions for ioctl(2) function calls /dev/ttyv? /dev/console Device nodes to access the pcvt driver ... threads.seas.gwu.edu/cgi-bin/man2web?program=pcvt&section=4 - 26k -Cached - Similar pages

### init(8) - process control initialization

This causes init to run the /etc/rc start up command file in fastboot mode (skipping disk checks). ... /dev/console, system console device ... www.gsp.com/cgi-bin/man.cgi?section=8&topic=init - 25k - Cached - Similar pages

### [PDF] 1. Introduction

File Format: PDF/Adobe Acrobat - View as HTML Instantiate the zone console device. There is one instance of zcons. (7D) driver for each non-global zone. Each instance of the driver ... partneradvantage.sun.com/protected/solaris10/adoptionkit/tech/zones/zones.pdf -Similar pages

### <u>'Xen domU for OpenBSD/amd64 demo' - MARC</u>

(I'm thinking of hosting a debug kernel image) - The network driver is ... 20 - Xen block device node (/dev/rxbd\*): char dev, major 85 - Xen virtual console ... marc.info/?l=openbsd-misc&m=115020845610220&w=2 - 5k - Cached - Similar pages

## UNIX man pages : pcvt (4)

The first pcvt device node not used by a virtual screen is the mouse device. ... /dev/console Device nodes to access the pcvt driver ... psb.sbras.ru/cgi-bin/www/unix\_help/unix-man?pcvt+4 - 27k - Cached - Similar pages O'Reilly Media -- Bookstore: Linux Device Drivers, Third Edition In that case, the login process changes the ownership of the device node whenever ... When the sbull driver (see Chapter 16) creates a virtual disk device, ... www.oreilly.com/catalog/linuxdrive3/toc.html - 702k - Cached - Similar pages

> Result Page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> **Next**

Try Google Desktop: search your computer as easily as you search the web.

"console device" "/dev/console" virti Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google ©2007 Google